



# CRAFTSMAN

by **luvanto**

# CRAFTSMAN

by **luvanto**

With Craftsman you can achieve a beautifully finished floor in any room of your home.

Created to meet our exacting standards, every plank is designed to deliver the look, feel and performance, worthy of the Craftsman name.

Craftsman combines authentic design with everyday practicality. Inspired by nature, refined for modern living, and built to perform, this is flooring that brings harmony, comfort, and confidence into your space.

All Craftsman flooring is backed by a 20-year domestic warranty and a 10-year commercial warranty, giving you complete peace of mind. Longevity and performance - guaranteed.

Our floors are not only hard-wearing and easy to live with, but they are also 100% water resistant, easy to clean, antimicrobial, and resistant to mould growth - making them a smart and stylish choice for busy homes and commercial environments alike.

## High Quality Without Compromise

Every product in the Craftsman range reflects our commitment to the highest quality standards. From carefully selected raw materials to experienced production teams and rigorous quality management, we ensure every plank performs as beautifully as it looks.

With Craftsman by Luvanto, you don't need years of experience to achieve a flawless finish - you simply need flooring designed with integrity, crafted with care, and built to perform.



**Beautiful. Practical. Guaranteed.**

## Introducing the NEW Craftsman Range

We've expanded the Craftsman range to include six new colours, available in four formats - Dryback Plank, Dryback Herringbone, SPC Plank, and SPC Herringbone - offering a complete range of options for any project.

### NEW Dryback Flooring

Our new Dryback LVT collection expands the Craftsman family with straight-lay plank and elegant herringbone options. Designed for flexibility and creativity, Dryback offers outstanding performance with enhanced design possibilities.

Dryback LVT is ideal for those who want complete control over layout, allowing you to create distinctive flooring patterns that elevate any room.

### NEW Herringbone: A Statement in Style

Available in both Dryback and SPC options, Craftsman herringbone allows you to achieve a timeless design with modern performance.

With the latest click systems available in our SPC range, creating this striking layout is easier than ever.



**Strength, Stability and Effortless Installation**

**NEW**  
RANGE & COLOURS



### 6 NEW Colours in Our Popular Click SPC Easy Fit Flooring Range

Our most popular rigid core solution. Hard-wearing and natural in colour, it is ideal for modern homes and suitable for most living areas.

With 4-sided bevels that enhance the authentic look of wood or tile, and an advanced click locking system, Craftsman SPC delivers both beauty and practicality in equal measure.

## Benefits of Craftsman Dryback LVT

### Creative Control

Lay planks in traditional straight designs or striking herringbone patterns to create a floor that truly defines your space.

### Professional Performance


Built to withstand heavy foot traffic while maintaining its authentic appearance.

### Comfort Built In

Soft, warm and quiet underfoot for a welcoming feel throughout the home.

### Everyday Peace of Mind

Waterproof, antimicrobial and easy to maintain — perfect for modern family living.



**Layer illustration - Dryback**  
Every layer counts to provide a great looking floor that performs.

## Key Features Dryback LVT

- Suitable for a variety of installation patterns, including straight lay plank and herringbone.
- 0.3mm deep embossed wear layer for heavy foot traffic.
- Soft to the touch, quiet and warm underfoot.
- Suitable for installation over underfloor heating, max 27°C. Not suitable for use in showers or wet rooms or areas of high temperature that can exceed 27°C such as conservatories.
- Anti-microbial protection to inhibit bacterial and mould growth.
- High slip resistance to help prevent accidents.
- 100% water resistant.
- Easy to clean.

## Benefits of Craftsman Click SPC

### Exceptional Stability

The rigid stone composite core delivers strength and stability, even in fluctuating temperatures.

### Faster Installation

Click-fit technology reduces installation time and allows the floor to be walked on immediately.

### Enhanced Comfort and Acoustics

Integrated acoustic backing helps reduce sound by 21dB while adding warmth and comfort underfoot.

### Subfloor Versatility


Can be installed over existing hard, level floors, helping to reduce preparation time and cost.

### Reliable Protection

Water resistant, antimicrobial and slip-resistant for complete confidence in everyday use.

## Key Features Click SPC

- 5mm (planks) and 5.5mm (herringbone) thick construction made from 50% stone SPC for enhanced stability.
- Requires only a 5mm expansion gap due to its stability in fluctuating temperatures.
- 21dB sound reduction with built-in IXPE acoustic foam underlay.
- 0.3mm deep embossed wear layer for heavy foot traffic.
- Soft, warm and quiet underfoot.
- Click locking system for quick and easy installation.
- Can be laid over existing hard and level floor coverings.
- Suitable for installation over underfloor heating, max 27°C. Not suitable for use in showers or wet rooms or areas of high temperature that can exceed 27°C such as conservatories.
- Anti-microbial protection.
- High slip resistance.
- 100% water resistant.
- Easy to clean.



### Layer illustration - Click SPC

The I4F click system on our straight-lay planks and 5Gi click system on our SPC herringbone with push-lock joints, ensures quick and straightforward installation. Once fitted, the floor is immediately ready to walk on.

**NEW  
COLOUR**

## Platinum Oak

### Dryback Plank

Product Code: **QAF-CVP-01**  
Plank Size: **187mm x 1227mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **4.59 m<sup>2</sup>**  
Per Pallet: **70**

### Dryback or SPC Plank

### Dryback Herringbone

Product Code: **QAF-CVH-01**  
Plank Size: **95mm x 380mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **2.16 m<sup>2</sup>**  
Per Pallet: **144**

### Dryback Herringbone

### Click SPC Plank

Product Code: **QAF-CKP-01**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **40**

### SPC Herringbone

### Click SPC Herringbone

Product Code: **QAF-CKH-01**  
Plank Size: **125mm x 625mm**  
Total Thickness: **5.5mm**  
m<sup>2</sup> Per Box: **1.56 m<sup>2</sup>**  
Per Pallet: **72**

Dryback or SPC Plank

**CRAFTSMAN**  
by **luvanto**

NEW  
COLOUR

## Coastal Oak

### Dryback Plank

Product Code: **QAF-CVP-02**  
Plank Size: **187mm x 1227mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **4.59 m<sup>2</sup>**  
Per Pallet: **70**

### Dryback Herringbone

Product Code: **QAF-CVH-02**  
Plank Size: **95mm x 380mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **2.16 m<sup>2</sup>**  
Per Pallet: **144**

### Click SPC Plank

Product Code: **QAF-CKP-02**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **40**

### Click SPC Herringbone

Product Code: **QAF-CKH-02**  
Plank Size: **125mm x 625mm**  
Total Thickness: **5.5mm**  
m<sup>2</sup> Per Box: **1.56 m<sup>2</sup>**  
Per Pallet: **72**

Dryback or SPC Plank

Dryback Herringbone

SPC Herringbone

Dryback Herringbone

CRAFTSMAN  
by LUVANTO

**NEW  
COLOUR**

## New Forest Oak

### Dryback Plank

Product Code: **QAF-CVP-03**  
Plank Size: **187mm x 1227mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **4.59 m<sup>2</sup>**  
Per Pallet: **70**

### Dryback Herringbone

Product Code: **QAF-CVH-03**  
Plank Size: **95mm x 380mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **2.16 m<sup>2</sup>**  
Per Pallet: **144**

### Click SPC Plank

Product Code: **QAF-CKP-03**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **40**


### Click SPC Herringbone

Product Code: **QAF-CKH-03**  
Plank Size: **125mm x 625mm**  
Total Thickness: **5.5mm**  
m<sup>2</sup> Per Box: **1.56 m<sup>2</sup>**  
Per Pallet: **72**

Dryback or SPC Plank

Dryback Herringbone

SPC Herringbone



Dryback Herringbone

**NEW  
COLOUR**

## Fireside Oak

### Dryback Plank

Product Code: **QAF-CVP-04**  
Plank Size: **187mm x 1227mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **4.59 m<sup>2</sup>**  
Per Pallet: **70**

### Dryback Herringbone

Product Code: **QAF-CVH-04**  
Plank Size: **95mm x 380mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **2.16 m<sup>2</sup>**  
Per Pallet: **144**

### Click SPC Plank

Product Code: **QAF-CKP-04**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **40**

### Click SPC Herringbone

Product Code: **QAF-CKH-04**  
Plank Size: **125mm x 625mm**  
Total Thickness: **5.5mm**  
m<sup>2</sup> Per Box: **1.56 m<sup>2</sup>**  
Per Pallet: **72**

### Dryback or SPC Plank

### Dryback Herringbone

### SPC Herringbone



**NEW  
COLOUR**

## Sherwood Oak

### Dryback Plank

Product Code: **QAF-CVP-05**  
Plank Size: **187mm x 1227mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **4.59 m<sup>2</sup>**  
Per Pallet: **70**

### Dryback Herringbone

Product Code: **QAF-CVH-05**  
Plank Size: **95mm x 380mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **2.16 m<sup>2</sup>**  
Per Pallet: **144**

### Click SPC Plank

Product Code: **QAF-CKP-05**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **40**


### Click SPC Herringbone

Product Code: **QAF-CKH-05**  
Plank Size: **125mm x 625mm**  
Total Thickness: **5.5mm**  
m<sup>2</sup> Per Box: **1.56 m<sup>2</sup>**  
Per Pallet: **72**

Dryback or SPC Plank

Dryback Herringbone

SPC Herringbone



Dryback Herringbone

**NEW  
COLOUR**

## Blackthorn Oak

### Dryback Plank

Product Code: **QAF-CVP-06**  
Plank Size: **187mm x 1227mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **4.59 m<sup>2</sup>**  
Per Pallet: **70**

### Dryback Herringbone

Product Code: **QAF-CVH-06**  
Plank Size: **95mm x 380mm**  
Total Thickness: **2mm**  
m<sup>2</sup> Per Box: **2.16 m<sup>2</sup>**  
Per Pallet: **144**

### Click SPC Plank

Product Code: **QAF-CKP-06**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **40**

### Click SPC Herringbone

Product Code: **QAF-CKH-06**  
Plank Size: **125mm x 625mm**  
Total Thickness: **5.5mm**  
m<sup>2</sup> Per Box: **1.56 m<sup>2</sup>**  
Per Pallet: **72**

Dryback or SPC Plank

Dryback Herringbone

SPC Herringbone

Dryback or SPC Plank

**CRAFTSMAN**  
by **luvanto**

## Titanium Oak

### Click SPC Plank

Product Code: **QAF-CFP-01**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **56**

### SPC Plank



CRAFTSMAN  
by luvanto

## Vintage Chestnut

### Click SPC Plank

Product Code: **QAF-CFP-03**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **56**

### SPC Plank



CRAFTSMAN  
by luvanto

## Winter Driftwood

### Click SPC Plank

Product Code: **QAF-CFP-05**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **56**

### SPC Plank




CRAFTSMAN  
by LUVANTO

## Farmhouse Oak

### Click SPC Plank

Product Code: **QAF-CFP-06**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **56**

### SPC Plank



CRAFTSMAN  
by LUVANTO

## Heritage Oak

### Click SPC Plank

Product Code: **QAF-CFP-08**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **56**

### SPC Plank




CRAFTSMAN  
by Luvanto

## Charred Elm

### Click SPC Plank

Product Code: **QAF-CFP-09**  
Plank Size: **178mm x 1218mm**  
Total Thickness: **5mm**  
m<sup>2</sup> Per Box: **2.17 m<sup>2</sup>**  
Per Pallet: **56**

### SPC Plank



CRAFTSMAN  
by Luvanto

## Product & Colour Availability

	Craftsman Dryback		Craftsman Click SPC	
	Plank	Herringbone	Plank	Herringbone
<b>Size</b>	187mm x 1227mm x 2mm	95mm x 380mm x 2mm	178mm x 1218mm x 5mm	125mm x 625mm x 5.5mm
Pack Coverage	4.59m <sup>2</sup>	2.16m <sup>2</sup>	2.17m <sup>2</sup>	1.56m <sup>2</sup>
Pieces Per Pack	20	60	10	20
Packs per Pallet	70	144	40 / 56+	72
Bevelled Edge	Micro-bevel	Micro-bevel	Micro-bevel	Micro-bevel
Platinum Oak	QAF-CVP-01	QAF-CVH-01	QAF-CKP-01	QAF-CKH-01
Coastal Oak	QAF-CVP-02	QAF-CVH-02	QAF-CKP-02	QAF-CKH-02
New Forest Oak	QAF-CVP-03	QAF-CVH-03	QAF-CKP-03	QAF-CKH-03
Fireside Oak	QAF-CVP-04	QAF-CVH-04	QAF-CKP-04	QAF-CKH-04
Sherwood Oak	QAF-CVP-05	QAF-CVH-05	QAF-CKP-05	QAF-CKH-05
Blackthorn Oak	QAF-CVP-06	QAF-CVH-06	QAF-CKP-06	QAF-CKH-06
Titanium Oak			QAF-CFP-01+	
Vintage Chestnut			QAF-CFP-03+	
Winter Driftwood			QAF-CFP-05+	
Farmhouse Oak			QAF-CFP-06+	
Heritage Oak			QAF-CFP-08+	
Charred Elm			QAF-CFP-09+	

For your next project, contact us for the best trade rates and fast delivery.



## TECHNICAL DATA SHEET

Description & Classification	Test Method	Specification & Test Results			
		Craftsman Dryback LVT Plank	Craftsman Dryback LVT Herringbone	Craftsman SPC Plank	Craftsman SPC Herringbone
Product Type	-	Craftsman Dryback LVT Plank	Craftsman Dryback LVT Herringbone	Craftsman SPC Plank	Craftsman SPC Herringbone
Dimensions	-	1227 x 187 mm	380 x 95 mm	1218 x 178 mm	625 x 125 mm
Thickness	-	2.0 mm	2.0 mm	5.0 mm (4.0 mm SPC + 1.0 mm IXPE)	5.5 mm (4.5 mm SPC + 1.0 mm IXPE)
Wear layer	-	0.3 mm	0.3 mm	0.3 mm	0.3 mm
System		Gluedown	Gluedown	I4F click	5Gi click
Packaging	-	20 pcs/pack 70 packs/plt	60 pcs/pack 144 packs/plt	10 pcs/pack 40 packs/plt	20 pcs/pack 72 packs/plt
Weight	-	17.32 kg/pack	8.16 kg/pack	18.63 kg/pack	14.89 kg/pack
Warranty - Residential / light commercial	-	20 / 10 years	20 / 10 years	20 / 10 years	20 / 10 years
Level of use - Heavy domestic	EN ISO 10874	Class 23	Class 23	Class 23	Class 23
Level of use - Moderate commercial	EN ISO 10874	Class 31	Class 31	Class 31	Class 31
Formaldehyde emission	EN 717-1	E1	E1	E1	E1
Reaction to fire	EN 13501-1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
Slip resistance	EN 13893	R9	R9	R9	R9
Pendulum test for slip resistance	BS7976-2:2002	Wet 52 Dry 68	Wet 52 Dry 68	Wet 52 Dry 68	Wet 52 Dry 68
Resistance to staining	EN 438-2:2016	Class 5 Not affected	Class 5 Not affected	Class 5 Not affected	Class 5 Not affected
Light stability	ISO 105-B02	≥Grade 6	≥Grade 6	≥Grade 6	≥Grade 6
Antistatic resistance	EN 1815	-	-	< 2kV	< 2kV
Castor chair	EN ISO 4918	Pass	Pass	Pass	Pass
Effect of furniture leg	EN ISO 16581	-	-	No visible damage	No visible damage
Residual indentation	ISO 24343-1	≤0.1 mm	≤0.1 mm	≤0.3 mm	≤0.3 mm
Dimension stability and curling after exposure to heat	ISO 23999	≤0.15%	≤0.15%	Dimension stability ≤0.15% Curling ≤1 mm	Dimension stability ≤0.15% Curling ≤1 mm
Wear resistance	ISO 24338	-	-	≥2000 cycles	≥2000 cycles
Impact resistance	EN 13329	-	-	≥800 mm	≥800 mm
Micro-scratch resistance	EN 16094	-	-	MSR-A1	MSR-A1
Thermal resistance	EN 12667	0.039 (m <sup>2</sup> K)/W	0.039 (m <sup>2</sup> K)/W	0.045 (m <sup>2</sup> K)/W	0.055 (m <sup>2</sup> K)/W
VOC Emission	ISO 16000	A+	A+	A+	A+
CE		Certified	Certified	Certified	Certified
UKCA		Certified	Certified	Certified	Certified
Floorscore		Certified	Certified	Certified	Certified
Indoor Air Comfort Gold		Certified	Certified	Certified	Certified
Utilization		Recyclable	Recyclable	Recyclable	Recyclable

# luvanto

## Introducing - other products available in the Luvanto range


- Luvanto Premium, Design and Click Plus Plank, Tile & Herringbone LVT
- Luvanto Shower Panels
- Luvanto Acoustic Wall Panels
- Luvanto Decorative Ribbed Panels

For more information or to view the full range visit: [www.luvanto.com](http://www.luvanto.com)

## Luvanto floors are made for real life

This means that our flooring is both beautifully designed and made to withstand the chaos of everyday family life.

Our Luvanto LVT flooring range carries a lifetime domestic guarantee.



LUVANTO  
lifetime  
WARRANTY

## Made for life's splashier moments

With a stunning gloss finish, our 100% waterproof shower panels are crafted using the latest technology, combining durability with lightweight PVC solid-core insulation.



## Designed for Life's Louder Moments

Our decorative acoustic wall panels soften sound while elevating your space - designed to bring calm, comfort and contemporary style to busy homes and commercial interiors alike.



## Effortless Style for Modern Living

Contemporary 3D ribbed wave effect decorative wall panels that combine refined design that's totally waterproof - perfect for modern living.



# CRAFTSMAN

by **luvanto**

**Luvanto - QA Flooring Solutions**

2 Hurricane Drive, Liverpool, L24 8RL.

Tel: 0151 427 6000

Email: [sales@luvanto.com](mailto:sales@luvanto.com)

[www.luvanto.com](http://www.luvanto.com)